Available at
www.ElsevierMathematics.com
POWERED BY SCIENCE DIRECT®
Discrete Mathematics 280 (2004) 285–297

DISCRETE MATHEMATICS
www.elsevier.com/locate/disc

Master index to volumes 271–280

Abel, R.J.R., I. Bluskov and M. Greig, Balanced incomplete block designs with block size 9: part II	279 (2004)	5– 32
Adams, P., D. Bryant and B. Maenhaut, Common multiples of complete graphs and a 4-cycle	275 (2004)	289–297
Ahlswede, R., H. Aydinian and L.H. Khachatrian, Extremal problems under dimension constraints	273 (2003)	9– 21
Ahlswede, R., H. Aydinian and L.H. Khachatrian, Maximal antichains under dimension constraints	273 (2003)	23– 29
Alon, N., Problems and results in extremal combinatorics—I	273 (2003)	31– 53
Ananchuen, N. and M.D. Plummer, Matching properties in domination critical graphs	277 (2004)	1– 13
Ananchuen, N. and M.D. Plummer, Some results related to the toughness of 3-domination critical graphs	272 (2003)	5– 15
Anderson, I. and D.A. Preece, Narcissistic half-and-half power-sequence terraces for $\mathbb{Z}_n$ with $n = pq^t$	279 (2004)	33– 60
Ando, K., A. Kaneko and K. Kawarabayashi, Vertices of degree 6 in a contraction critically 6-connected graph	273 (2003)	55– 69
Appa, G. and B. Kotnyek, Rational and integral k-regular matrices	275 (2004)	1– 15
Aydinian, H., see R. Ahlswede	273 (2003)	9– 21
Aydinian, H., see R. Ahlswede	273 (2003)	23– 29
Bachoc, C., E. Bannai and R. Coulangeon, Codes and designs in Grassmannian spaces	277 (2004)	15– 28
Bakoev, V.P., Algorithmic approach to counting of certain types m-ary partitions	275 (2004)	17– 41
Bang-Jensen, J. and T. Jordán, Splitting off edges between two subsets preserving the edge-connectivity of the graph	276 (2004)	5– 28
Bannai, E., see C. Bachoc	277 (2004)	15– 28
Bazgan, C., A note on the approximability of the toughness of graphs	280 (2004)	215–218
Beineke, L.W. and R.E. Pippert, Multidimensional bipartite trees	272 (2003)	17– 26
Bennett, F.E., C.J. Colbourn, R. Wei and J. Yin, Preface	279 (2004)	1– 2
Bennett, F.E., Y. Chang, G. Ge and M. Greig, Existence of $(v, \{5, w^*\}, 1)$-PBDs	279 (2004)	61–105
Berg, A.R., B. Jackson and T. Jordán, Edge splitting and connectivity augmentation in directed hypergraphs	273 (2003)	71– 84
Betsumiya, K., S. Ling and F.R. Nemenzo, Type II codes over $\mathbb{F}_{2^m} + u\mathbb{F}_{2^m}$	275 (2004)	43– 65
Bhattacharya, A., On a conjecture of Manickam and Singhi	272 (2003)	259–261
Bielak, H., Local Ramsey numbers for copies of cycles	276 (2004)	29– 42
Bluskov, I., see R.J.R. Abel	279 (2004)	5– 32
Boben, M., see T. Pisanski	275 (2004)	265–276
Bode, J.-P. and H. Harborth, Independence for knights on hexagon and triangle boards	272 (2003)	27– 35
Bonichon, N., B. Le Saëc and M. Mosbah, Orthogonal drawings based on the stratification of planar graphs	276 (2004)	43– 57

0012-365X/04/$ - see front matter
doi:10.1016/S0012-365X(04)00088-3

Boros, E., V. Gurvich and R. Meshulam, Difference graphs 276 (2004) 59– 64
Bouchitté, V., F. Mazoit and I. Todinca, Chordal embeddings of planar graphs 273 (2003) 85–102
Boussaïri, A., P. Ille, G. Lopez and S. Thomassé, The C_3-structure of the tournaments 277 (2004) 29– 43
Breda d'Azevedo, A., see S. Wilson 277 (2004) 241–274
Brešar, B. and B. Zmazek, On the independence graph of a graph 272 (2003) 263–268
Brigham, R.C., J.R. Carrington and R.P. Vitray, Extremal connected graphs for independent domination number 275 (2004) 299–309
Brigham, R.C., see R.D. Dutton 272 (2003) 47– 51
Bryant, D., see P. Adams 275 (2004) 289–297
Buckley, F., see H.B. Walikar 272 (2003) 119–126
Buratti, M. and A. del Fra, Cyclic Hamiltonian cycle systems of the complete graph 279 (2004) 107–119

Čada, R., E. Flandrin, H. Li and Z. Ryjáček, Cycles through given vertices and closures 276 (2004) 65– 80
Cameron, K., Induced matchings in intersection graphs 278 (2004) 1– 9
Cameron, P.J., Random strongly regular graphs? 273 (2003) 103–114
Cao, H. and Y. Tang, On Kirkman packing designs KPD($\{3,4\}, v$) 279 (2004) 121–133
Cao, Z., see K. Chen 279 (2004) 153–161
Caporossi, G. and P. Hansen, Variable neighborhood search for extremal graphs. 5. Three ways to automate finding conjectures 276 (2004) 81– 94
Carrington, J.R., see R.C. Brigham 275 (2004) 299–309
Chang, G.J., see M. Chen 275 (2004) 87– 96
Chang, Y. and G. Lo Faro, The existence of directed BIBDs 272 (2003) 155–169
Chang, Y. and J. Yin, Further results on optimal optical orthogonal codeswith weight 4 279 (2004) 135–151
Chang, Y., see F.E. Bennett 279 (2004) 61–105
Chang, Y., see Y. Xu 279 (2004) 479–498
Charalambides, Ch.A., Non-central generalized q-factorial coefficients and q-Stirling numbers 275 (2004) 67– 85
Charon, I., I. Honkala, O. Hudry and A. Lobstein, The minimum density of an identifying code in the king lattice 276 (2004) 95–109
Chartrand, G., L. Nebeský and P. Zhang, Greedy F-colorings of graphs 272 (2003) 37– 46
Chartrand, G., T.W. Haynes, M.A. Henning and P. Zhang, Stratification and domination in graphs 272 (2003) 171–185
Chellali, M. and L. Volkmann, Relations between the lower domination parameters and the chromatic number of a graph 274 (2004) 1– 8
Chen, K., Z. Cao and D. Wu, Existence of APAV(q,k) with q a prime power $\equiv 5 \pmod 8$ and $k \equiv 1 \pmod 4$ 279 (2004) 153–161
Chen, M., G.J. Chang and D.B. West, Interval numbers of powers of block graphs 275 (2004) 87– 96
Chen, P., see G. Ding 280 (2004) 1– 12
Chen, Y., F. Tian and B. Wei, Hamilton-connectivity of 3-domination-critical graphs with $\alpha \leqslant \delta$ 271 (2003) 1– 12
Chu , W. and C.J. Colbourn, Optimal $(n,4,2)$-OOC of small orders 279 (2004) 163–172
Cockayne, E.J., O. Favaron and C.M. Mynhardt, On i^--ER-critical graphs 276 (2004) 111–125
Cockayne, E.J., P.A. Dreyer Jr., S.M. Hedetniemi and S.T. Hedetniemi, Roman domination in graphs 278 (2004) 11– 22
Coker, C., Enumerating a class of lattice paths 271 (2003) 13– 28
Colbourn, C.J., see F.E. Bennett 279 (2004) 1– 2
Colbourn, C.J., see W. Chu 279 (2004) 163–172
Conforti, M., G. Rinaldi and L. Wolsey, On the cut polyhedron 277 (2004) 279–285
Cooper, S. and M.D. Hirschhorn, Results of Hurwitz type for three squares 274 (2004) 9– 24
Coulangeon, R., see C. Bachoc 277 (2004) 15– 28
Courcelle, B., Clique-width of countable graphs: a compactness property 276 (2004) 127–148

Daskalov, R., P. Hristov and E. Metodieva, New minimum distance bounds for linear codes over GF(5) 275 (2004) 97–110
de Graaf, M., Directed triangles in directed graphs 280 (2004) 219–223
Del Fra, A., see M. Buratti 279 (2004) 107–119
Delorme, C., Laplacian eigenvalues and fixed size multisection 276 (2004) 149–159
Delorme, C., S. Gonzalez, O. Ordaz and M.T. Varela, Barycentric sequences and barycentric Ramsey numbers stars 277 (2004) 45– 56
Deng, D., see H. Shen 279 (2004) 437–462
Deutsch, E., Enumerating symmetric directed convex polyominoes 280 (2004) 225–231
DeVos, M., J. Nešetřil and A. Raspaud, Antisymmetric flows and edge-connectivity 276 (2004) 161–167
Ding, G. and P. Chen, Unavoidable doubly connected large graphs 280 (2004) 1– 12
Dobrynin, V., On the rank of a matrix associated with a graph 276 (2004) 169–175
Dobson, E. and M. Šajna, Almost self-complementary circulant graphs 278 (2004) 23– 44
Dong, F.M., K.M. Koh and C.A. Soh, Divisibility of certain coefficients of the chromatic polynomials 275 (2004) 311–317
Dreyer Jr., P.A., see E.J. Cockayne 278 (2004) 11– 22
Du, B., Existence of optimal strong partially balanced designs with block size five 279 (2004) 173–190
Dutton, R.D., R.C. Brigham and C. Gui, Edge-recognizable domination numbers 272 (2003) 47– 51

Edwards, K., Edge decomposition of complete tripartite graphs 272 (2003) 269–275
Ehrenfeucht, A., T. Harju and G. Rozenberg, Transitivity of local complementation and switching on graphs 278 (2004) 45– 60
Enomoto, H. and H. Li, Partition of a graph into cycles and degenerated cycles 276 (2004) 177–181
Erdős, P., S.T. Hedetniemi, R.C. Laskar and G.C.E. Prins, On the equality of the partial Grundy and upper ochromatic numbers of graphs 272 (2003) 53– 64
Eroh, L. and O.R. Oellermann, Bipartite rainbow Ramsey numbers 277 (2004) 57– 72
Euler, R., Coloring planar Toeplitz graphs and the stable set polytope 276 (2004) 183–200

Fang, K.-T., G. Ge, M.-Q. Liu and H. Qin, Combinatorial constructions for optimal supersaturated designs 279 (2004) 191–202
Fang, K.-T., X. Lu, Y. Tang and J. Yin, Constructions of uniform designs by using resolvable packings and coverings 274 (2004) 25– 40
Favaron, O., see E.J. Cockayne 276 (2004) 111–125
Feng, H. and Z. Zhang, Combinatorial proofs of identities of Calkin and Hirschhorn 277 (2004) 287–294
Feng, R. and J.H. Kwak, Typical circulant double coverings of a circulant graph 277 (2004) 73– 85
Ferrari, L., E. Pergola, R. Pinzani and S. Rinaldi, Jumping succession rules and their generating functions 271 (2003) 29– 50
Finbow, A.S. and B.L. Hartnell, Well-located graphs: a collection of well-covered ones 276 (2004) 201–209
Finizio, N.J., One frame and several new infinite families of Z-cyclic whist designs 279 (2004) 203–213
Finizio, N.J. and B.J. Travers, Z-cyclic generalized whist frames and Z-cyclic generalized whist tournaments 279 (2004) 215–223
Fiorini, S. and P.C. Fishburn, Weak order polytopes 275 (2004) 111–127
Fishburn, P.C., see S. Fiorini 275 (2004) 111–127
Flandrin, E., see R. Čada 276 (2004) 65– 80
Flondor, P. and I. Leuștean, MV-algebras with operators (the commutative and the non-commutative case) 274 (2004) 41– 76
Fouquet, J.L. and I. Rusu, Preface 276 (2004) 11– 2

Fujishige, S., K. Makino, T. Takabatake and K. Kashiwabara, Polybasic polyhedra: structure of polyhedra with edge vectors of support size at most 2 280 (2004) 13– 27

Galeana-Sánchez, H. and R. Rojas-Monroy, Kernels in pretransitive digraphs 275 (2004) 129–136
Gao, W.D., On zero-sum subsequences of restricted size II 271 (2003) 51– 59
Gavoille, C. and C. Paul, Distance labeling scheme and split decomposition 273 (2003) 115–130
Ge, G., Mandatory representation designs MRD($\{4,k\};v$) with $k \equiv 1 \bmod 3$ 275 (2004) 319–329
Ge, G. and A.C.H. Ling, A survey on resolvable group divisible designs with block size four 279 (2004) 225–245
Ge, G. and R. Rees, On group-divisible designs with block size four and group-type $6^u m^1$ 279 (2004) 247–265
Ge, G. and R. Wei, HGDDs with block size four 279 (2004) 267–276
Ge, G., J. Wang and R. Wei, MGDD with block size 4 and its application to sampling designs 272 (2003) 277–283
Ge, G., see F.E. Bennett 279 (2004) 61–105
Ge, G., see K.-T. Fang 279 (2004) 191–202
Gilles, R.P., see R. van den Brink 271 (2003) 261–270
Gimbel, J. and C. Hartman, Subcolorings and the subchromatic number of a graph 272 (2003) 139–154
Gionfriddo, L., Voloshin's colourings of P_3-*designs* 275 (2004) 137–149
Godbole, A.P., see A. Wierman 275 (2004) 367–373
Goddard, W., M.E. Raines and P.J. Slater, Distance and connectivity measures in permutation graphs 271 (2003) 61– 70
Gonçalves, A. and E.L. Monte Carmelo, Some geometric structures and bounds for Ramsey numbers 280 (2004) 29– 38
Gonzalez, S., see C. Delorme 277 (2004) 45– 56
Govaert, E. and H. Van Maldeghem, Forgetful polygons as generalizations of semi-affine planes 271 (2003) 71–100
Graovac, A., see T. Pisanski 275 (2004) 265–276
Gravier, S. and F. Maffray, On the choice number of claw-free perfect graphs 276 (2004) 211–218
Gravier, S., C.T. Hoàng and F. Maffray, Coloring the hypergraph of maximal cliques of a graph with no long path 272 (2003) 285–290
Gravier, S., J. Janssen, K. Kilakos and S. Klein, Graph covers using t-colourable vertex sets 278 (2004) 61– 80
Greig, M., S.P. Hurd and D.G. Sarvate, General constructions of c-Bhaskar Rao designs and the (c,λ) spectrum of a c-BRD(v,k,λ) 274 (2004) 77– 92
Greig, M., see F.E. Bennett 279 (2004) 61–105
Greig, M., see R.J.R. Abel 279 (2004) 5– 32
Gropp, H., "Réseaux réguliers" or regular graphs—Georges Brunel as a French pioneer in graph theory 276 (2004) 219–227
Grynkiewicz, D.J., On some Rado numbers for generalized arithmetic progressions 280 (2004) 39– 50
Guénoche, A., B. Leclerc and V. Makarenkov, On the extension of a partial metric to a tree metric 276 (2004) 229–248
Guenver, G.-B. and J.-X. Rampon, Split orders 276 (2004) 249–267
Gui, C., see R.D. Dutton 272 (2003) 47– 51
Guo, X. and F. Zhang, Reducible chains of planar 1-cycle resonant graphs 275 (2004) 151–164
Gupta, S.K., P. Mangal and V. Paliwal, Some work towards the proof of the reconstruction conjecture 272 (2003) 291–296
Gurvich, V., see E. Boros 276 (2004) 59– 64
Győri, E., V. Nikiforov and R.H. Schelp, Nearly bipartite graphs 272 (2003) 187–196

Haglund, J. and J.B. Remmel, Cycles and perfect matchings 274 (2004) 93–108
Hansen, P., see G. Caporossi 276 (2004) 81–94

Harborth, H., see J.-P. Bode 272 (2003) 27– 35
Harju, T., see A. Ehrenfeucht 278 (2004) 45– 60
Hartman, C., see J. Gimbel 272 (2003) 139–154
Hartnell, B.L., see A.S. Finbow 276 (2004) 201–209
Haynes, T.W. and M.A. Henning, Changing and unchanging domination: a classification 272 (2003) 65– 79
Haynes, T.W., see G. Chartrand 272 (2003) 171–185
Healy, P., A. Kuusik and S. Leipert, A characterization of level planar graphs 280 (2004) 51– 63
Hedetniemi, S.M., S.T. Hedetniemi, A.A. McRae, D. Parks and J.A. Telle, Iterated colorings of graphs 278 (2004) 81–108
Hedetniemi, S.M., see E.J. Cockayne 278 (2004) 11– 22
Hedetniemi, S.T., see E.J. Cockayne 278 (2004) 11– 22
Hedetniemi, S.T., see P. Erdős 272 (2003) 53– 64
Hedetniemi, S.T., see S.M. Hedetniemi 278 (2004) 81–108
Helleseth, T. and V. Zinoviev, On a new identity for Kloosterman sums and nonlinear system of equations over finite fields of characteristic 2 274 (2004) 109–124
Henning, M.A., Defending the Roman Empire from multiple attacks 271 (2003) 101–115
Henning, M.A., Signed total domination in graphs 278 (2004) 109–125
Henning, M.A. and O.R. Oellermann, On upper domination Ramsey numbers for graphs 274 (2004) 125–135
Henning, M.A., see G. Chartrand 272 (2003) 171–185
Henning, M.A., see T.W. Haynes 272 (2003) 65– 79
Hirschhorn, M.D., see S. Cooper 274 (2004) 9– 24
Hoàng, C.T., see S. Gravier 272 (2003) 285–290
Hoffmann, A. and L. Volkmann, On unique k-factors and unique $[1,k]$-factors in graphs 278 (2004) 127–138
Hollmann, H.D.L. and Q. Xiang, Kloosterman sum identities over $\mathbf{F}_{2^m}$ 279 (2004) 277–286
Hong, Y., Tree-width, clique-minors, and eigenvalues 274 (2004) 281–287
Honkala, I., see I. Charon 276 (2004) 95–109
Hristov, P., see R. Daskalov 275 (2004) 97–110
Hsiang, J., D.F. Hsu and Y.-P. Shieh, On the hardness of counting problems of complete mappings 277 (2004) 87–100
Hsu, D.F., see J. Hsiang 277 (2004) 87–100
Hu, L. and D. Pei, Generator polynomials of characteristic ideal of maximal periodic arrays over Galois rings 278 (2004) 139–149
Huang, Y., Maximum genus and chromatic number of graphs 271 (2003) 117–127
Huber, K.T., Recovering trees from well-separated multi-state characters 278 (2004) 151–164
Hudry, O., see I. Charon 276 (2004) 95–109
Hurd, S.P., see M. Greig 274 (2004) 77– 92
Hwang, K.-W., see J.-M. Oh 278 (2004) 195–207

Ibaraki, T., see S. Suzuki 273 (2003) 211–220
Ille, P., see A. Boussaïri 277 (2004) 29– 43
Itagi, M.K., see H.B. Walikar 272 (2003) 119–126

Jablonski, M., see A. Wierman 275 (2004) 367–373
Jackson, B., see A.R. Berg 273 (2003) 71– 84
Jamison, R.E. and P.D. Johnson Jr., The structure of (t,r)-regular graphs of large order 272 (2003) 297–300
Jamison, R.E., F.R. McMorris and H.M. Mulder, Graphs with only caterpillars as spanning trees 272 (2003) 81– 95
Janssen, J., see S. Gravier 278 (2004) 61– 80
Jenča, G., Finite homogeneous and lattice ordered effect algebras 272 (2003) 197–214
Jiang, T. and D.B. West, Edge-colorings of complete graphs that avoid polychromatic trees 274 (2004) 137–145

Jimbo, M., see M. Müller 279 (2004) 369–381
Johnson Jr., P.D., see R.E. Jamison 272 (2003) 297–300
Jordán, T., see A.R. Berg 273 (2003) 71– 84
Jordán, T., see J. Bang-Jensen 276 (2004) 5– 28

Kabadi, S. and A.P. Punnen, Weighted graphs with all Hamiltonian cycles of the same length 271 (2003) 129–139
Kabanov, V. and I. Vakula, The lower domination parameters in inflation of graphs of radius 1 276 (2004) 269–272
Kaneko, A., see K. Ando 273 (2003) 55– 69
Kang, L., H.K. Kim and M.Y. Sohn, Minus domination number in k-partite graphs 277 (2004) 295–300
Kang, L., see E. Shan 280 (2004) 265–269
Kang, Q., Y. Zhang and H. Zuo, Packings and coverings of λK_v by k-circuits with one chord 279 (2004) 287–315
Kashiwabara, K., see S. Fujishige 280 (2004) 13– 27
Kaski, P. and P.R.J. Östergård, Miscellaneous classification results for 2-designs 280 (2004) 65– 75
Kawarabayashi, K., see K. Ando 273 (2003) 55– 69
Kelmans, A., On graph closures 271 (2003) 141–168
Khachatrian, L.H., see R. Ahlswede 273 (2003) 9– 21
Khachatrian, L.H., see R. Ahlswede 273 (2003) 23– 29
Khamis, S.M., Height counting of unlabeled interval and N-free posets 275 (2004) 165–175
Kharaghani, H. and B. Tayfeh-Rezaie, Some new orthogonal designs in orders 32 and 40 279 (2004) 317–324
Kilakos, K., see S. Gravier 278 (2004) 61– 80
Kim, H.K., see L. Kang 277 (2004) 295–300
Kimberling , C., Affinely recursive sets and orderings of languages 274 (2004) 147–159
Klein, A., On codes meeting the Griesmer bound 274 (2004) 289–297
Klein, S., see S. Gravier 278 (2004) 61– 80
Klostermeyer, W.F. and G. MacGillivray, Homomorphisms and oriented colorings of equivalence classes of oriented graphs 274 (2004) 161–172
Kochol, M., Snarks and flow-snarks constructed from coloring-snarks 278 (2004) 165–174
Kochol, M., Tension-flow polynomials on graphs 274 (2004) 173–185
Koh, K.M., B.B. Lim and P.J. Slater, H-domination in graphs 272 (2003) 97–105
Koh, K.M., see F.M. Dong 275 (2004) 311–317
Koller, A.E. and S.D. Noble, Domination analysis of greedy heuristics for the frequency assignment problem 275 (2004) 331–338
Kotnyek, B., see G. Appa 275 (2004) 1– 15
Král', D., On maximum face-constrained coloring of plane graphs with no short face cycles 277 (2004) 301–307
Krob, D., J. Mairesse and I. Michos, Computing the average parallelism in trace monoids 273 (2003) 131–162
Küçükçifçi, S. and C.C. Lindner, Perfect hexagon triple systems 279 (2004) 325–335
Küçükçifçi, S., C.C. Lindner and A. Rosa, The metamorphosis of λ-fold block designs with block size four into a maximum packing of λK_n with 4-cycles 278 (2004) 175–193
Kurosawa, K., see W. Ogata 279 (2004) 383–405
Kuusik, A., see P. Healy 280 (2004) 51– 63
Kwak, J.H., J. Lee and Y. Shin, Balanced regular coverings of a signed graph and regular branched orientable surface coverings over a non-orientable surface 275 (2004) 177–193
Kwak, J.H., see R. Feng 277 (2004) 73– 85

Lalonde, P., Lattice paths and the antiautomorphism of the poset of descending plane partitions 271 (2003) 311–319

Lanphier, D. and J. Rosenhouse, Cheeger constants of Platonic graphs 277 (2004) 101–113
Lascoux, A., Sylvester's bijection between strict and odd partitions 277 (2004) 275–278
Laskar, R.C., see P. Erdös 272 (2003) 53– 64
Lau, G.C., see Y.H. Peng 278 (2004) 209–218
Lazebnik, F. and R. Viglione, On the connectivity of certain graphs of high girth 277 (2004) 309–319
Le Saëc, B., see N. Bonichon 276 (2004) 43– 57
Leach, C.D. and C.A. Rodger, Hamilton decompositions of complete graphs with a 3-factor leave 279 (2004) 337–344
Leck, U., On the orthogonal product of simplices and direct products of truncated Boolean lattices 273 (2003) 163–172
Leclerc, B., see A. Guénoche 276 (2004) 229–248
Lee, J., see J.H. Kwak 275 (2004) 177–193
Lei, J., On large sets of Kirkman triple systems and 3-wise balanced design 279 (2004) 345–354
Leipert, S., see P. Healy 280 (2004) 51– 63
Lemos, M. and J. Oxley, On the minor-minimal 2-connected graphs having a fixed minor 280 (2004) 77–118
Leuştean, I., see P. Flondor 274 (2004) 41– 76
Li, D., D. Li and J. Mao, On maximum number of edges in a spanning eulerian subgraph 274 (2004) 299–302
Li, D., see D. Li 274 (2004) 299–302
Li, H., see H. Enomoto 276 (2004) 177–181
Li, H., see R. Čada 276 (2004) 65– 80
Li, P.C., see A.C.H. Ling 279 (2004) 355–368
Li, S., On connected k-domination numbers of graphs 274 (2004) 303–310
Li, X., V. Neumann-Lara and E. Rivera-Campo, On a tree graph defined by a set of cycles 271 (2003) 303–310
Lichiardopol, N., Concerning two conjectures on the set of fixed points of a complete rotation of a Cayley digraph 280 (2004) 119–131
Lim, B.B., see K.M. Koh 272 (2003) 97–105
Lin, W., Some star extremal circulant graphs 271 (2003) 169–177
Lin, Y. and A. Yang, On 3-cutwidth critical graphs 275 (2004) 339–346
Lindner, C.C. and C.A. Rodger, A connection between varieties of quasigroups and graph decompositions 272 (2003) 127–137
Lindner, C.C., see S. Küçükçifçi 278 (2004) 175–193
Lindner, C.C., see S. Küçükçifçi 279 (2004) 325–335
Ling, A.C.H., P.C. Li and G.H.J. van Rees, Splitting systems and separating systems 279 (2004) 355–368
Ling, A.C.H., see G. Ge 279 (2004) 225–245
Ling, S., see K. Betsumiya 275 (2004) 43– 65
Liu, G., see Y. Liu 274 (2004) 311–318
Liu, M.-Q., see K.-T. Fang 279 (2004) 191–202
Liu, Y. and G. Liu, Number of maximum matchings of bipartite graphs with positive surplus 274 (2004) 311–318
Lladó, A. and S.C. Lopez, Minimum degree and minimum number of edge-disjoint trees 275 (2004) 195–205
Lo Faro, G., see Y. Chang 272 (2003) 155–169
Lobstein, A., see I. Charon 276 (2004) 95–109
Loebl, M. and J. Vondrák, Towards a theory of frustrated degeneracy 271 (2003) 179–193
Loebl, M., J. Nešetřil and B. Reed, A note on random homomorphism from arbitrary graphs to $\mathbb{Z}$ 273 (2003) 173–181
Loehr, N.A., Note on André's reflection principle 280 (2004) 233–236
Lopez, G., see A. Boussaïri 277 (2004) 29– 43
Lopez, S.C., see A. Lladó 275 (2004) 195–205
Lou, D. and D. Rao, Graphs with no M-alternating path between two vertices 280 (2004) 237–240
Lu, Q.-L., On a restricted m-ary partition function 275 (2004) 347–353

Lu, X., see K.-T. Fang 274 (2004) 25– 40
Luo, R. and C.-Q. Zhang, Edge coloring of graphs with small average degrees 275 (2004) 207–218

MacGillivray, G., see W.F. Klostermeyer 274 (2004) 161–172
Maenhaut , B., see P. Adams 275 (2004) 289–297
Maffray, F., see S. Gravier 272 (2003) 285–290
Maffray, F., see S. Gravier 276 (2004) 211–218
Mairesse, J., see D. Krob 273 (2003) 131–162
Makarenkov, V., see A. Guénoche 276 (2004) 229–248
Makino, K., see S. Fujishige 280 (2004) 13– 27
Malnič, A., D. Marušič and C. Wang, Cubic edge-transitive graphs of order $2p^3$ 274 (2004) 187–198
Malnič, A., D. Marušič, P. Potočnik and C. Wang, An infinite family of cubic edge- but not vertex-transitive graphs 280 (2004) 133–148
Mangal, P., see S.K. Gupta 272 (2003) 291–296
Mansilla, S.P. and O. Serra, Automorphism groups of k-arc transitive covers 276 (2004) 273–285
Mao, J., see D. Li 274 (2004) 299–302
Marušič, D., see A. Malnič 274 (2004) 187–198
Marušič, D., see A. Malnič 280 (2004) 133–148
Marušič, D., see T. Pisanski 275 (2004) 265–276
Matsuda, H., Degree conditions for Hamiltonian graphs to have $[a, b]$-factors containing a given Hamiltonian cycle 280 (2004) 241–250
Matúš, F., Towards classification of semigraphoids 277 (2004) 115–145
Mauduit, C. and A. Sárközy, On the measures of pseudorandomness of binary sequences 271 (2003) 195–207
Maxová, J. and J. Nešetřil, On covers of graphs 276 (2004) 287–294
Mazoit, F., see V. Bouchitté 273 (2003) 85–102
McColm, G.L., On the structure of random unlabelled acyclic graphs 277 (2004) 147–170
McDiarmid, C. and B. Reed, Channel assignment on graphs of bounded treewidth 273 (2003) 183–192
McKay, B.D., E.M. Palmer, R.C. Read and R.W. Robinson, The asymptotic number of claw-free cubic graphs 272 (2003) 107–118
McKee, T.A., Erratum to "Chordal bipartite, strongly chordal, and strongly chordal bipartite graphs" [Discrete Mathematics 260 (2003) 231–238] 272 (2003) 307–307
McMorris, F.R., see R.E. Jamison 272 (2003) 81– 95
McRae, A.A., see S.M. Hedetniemi 278 (2004) 81–108
Mendelsohn, E., see G. Quattrocchi 279 (2004) 407–421
Meshulam, R., see E. Boros 276 (2004) 59– 64
Meszka, M. and A. Rosa, Embedding Steiner triple systems into Steiner systems $S(2, 4, v)$ 274 (2004) 199–212
Metodieva, E., see R. Daskalov 275 (2004) 97–110
Miao, L., S. Pang and J. Wu, An upper bound on the number of edges of edge-coloring critical graphs with high maximum degree 271 (2003) 321–325
Michos, I., see D. Krob 273 (2003) 131–162
Mitchell, L.H., Maximal total absolute displacement of a permutation 274 (2004) 319–321
Monks, K.G. and J. Yazinski, The autoconjugacy of the $3x + 1$ function 275 (2004) 219–236
Mosbah, M., see N. Bonichon 276 (2004) 43– 57
Monte Carmelo, E.L., see A. Gonçalves 280 (2004) 29– 38
Mulder, H.M., see R.E. Jamison 272 (2003) 81– 95
Mullen, G.L., see J.L. Yucas 274 (2004) 265–279
Müller, M. and M. Jimbo, Consecutive positive detectable matrices and group testing for consecutive positives 279 (2004) 369–381
Myers, J.S., The extremal function for unbalanced bipartite minors 271 (2003) 209–222
Mynhardt, C.M., see E.J. Cockayne 276 (2004) 111–125

Nebeský, L., see G. Chartrand 272 (2003) 37– 46
Nelson, P. and A.J. Radcliffe, Semi-regular graphs of minimum independence number 275 (2004) 237–263

Nemenzo, F.R., see K. Betsumiya 275 (2004) 43– 65
Nenov, N.D., On the triangle vertex Folkman numbers 271 (2003) 327–334
Nešetřil, J., see J. Maxová 276 (2004) 287–294
Nešetřil, J., see M. DeVos 276 (2004) 161–167
Nešetřil, J., see M. Loebl 273 (2003) 173–181
Neumann-Lara, V., see X. Li 271 (2003) 303–310
Nicoloso, S., Sum coloring and interval graphs: a tight upper bound for the minimum number of colors 280 (2004) 251–257
Nikiforov, V., see E. Győri 272 (2003) 187–196
Noble, S.D., see A.E. Koller 275 (2004) 331–338

Oellermann, O.R., see L. Eroh 277 (2004) 57– 72
Oellermann, O.R., see M.A. Henning 274 (2004) 125–135
Ogata, W., K. Kurosawa, D.R. Stinson and H. Saido, New combinatorial designs and their applications to authentication codes and secret sharing schemes 279 (2004) 383–405
Oh, J.-M. and K.-W. Hwang, Construction of one-regular graphs of valency 4 and 6 278 (2004) 195–207
Omoomi, B. and Y.-H. Peng, Chromatic equivalence classes of certain generalized polygon trees, III 271 (2003) 223–234
Orbanić, A., see T. Pisanski 275 (2004) 265–276
Ordaz, O., see C. Delorme 277 (2004) 45– 56
Östergård, P.R.J., see P. Kaski 280 (2004) 65– 75
Oxley, J., see M. Lemos 280 (2004) 77–118

Paliwal, V., see S.K. Gupta 272 (2003) 291–296
Palmer, E.M., see B.D. McKay 272 (2003) 107–118
Pang, S., see L. Miao 271 (2003) 321–325
Parks, D., see S.M. Hedetniemi 278 (2004) 81–108
Paul, C., see C. Gavoille 273 (2003) 115–130
Pêcher, A., Cayley partitionable graphs and near-factorizations of finite groups 276 (2004) 295–311
Pei, D., see L. Hu 278 (2004) 139–149
Pelayo, I.M., Comment on "The Steiner number of a graph" by G. Chartrand and P. Zhang [Discrete Mathematics 242 (2002) 41–54] 280 (2004) 259–263
Peng, Y.H. and G.C. Lau, Chromatic classes of 2-connected $(n, n+4)$-graphs with at least four triangles 278 (2004) 209–218
Peng, Y.-H., see B. Omoomi 271 (2003) 223–234
Pergola, E., see L. Ferrari 271 (2003) 29– 50
Pikhurko, O., Further asymptotic size Ramsey results obtained via linear programming 273 (2003) 193–202
Pinzani, R., see L. Ferrari 271 (2003) 29– 50
Pippert, R.E., see L.W. Beineke 272 (2003) 17– 26
Pisanski, T., M. Boben, D. Marušič, A. Orbanić and A. Graovac, The 10-cages and derived configurations 275 (2004) 265–276
Plummer, M.D., see N. Ananchuen 272 (2003) 5– 15
Plummer, M.D., see N. Ananchuen 277 (2004) 1– 13
Potočnik, P., see A. Malnič 280 (2004) 133–148
Preece, D.A., see I. Anderson 279 (2004) 33– 60
Prins, G.C.E., see P. Erdös 272 (2003) 53– 64
Punnen, A.P., see S. Kabadi 271 (2003) 129–139

Qin, H., see K.-T. Fang 279 (2004) 191–202
Quattrocchi, G. and E. Mendelsohn, Minimum embedding of balanced P_4-designs into 5-cycle systems 279 (2004) 407–421

Radcliffe, A.J., see P. Nelson 275 (2004) 237–263
Raddum, H., On the computation of coset leaders with high Hamming weight 274 (2004) 213–231
Raines, M.E., see W. Goddard 271 (2003) 61– 70
Ramamurthi, R. and D.B. West, Maximum face-constrained coloring of plane graphs 274 (2004) 233–240
Rampon, J.-X., see G.-B. Guenver 276 (2004) 249–267
Randerath, B., 3-Colorability and forbidden subgraphs. I: Characterizing pairs 276 (2004) 313–325
Rao, D., see D. Lou 280 (2004) 237–240
Raspaud, A., see M. DeVos 276 (2004) 161–167
Rautenbach, D., A note on trees of maximum weight and restricted degrees 271 (2003) 335–342
Read, R.C., see B.D. McKay 272 (2003) 107–118
Reading, N., Non-negative cd-coefficients of Gorenstein* posets 274 (2004) 323–329
Reed, B., see C. McDiarmid 273 (2003) 183–192
Reed, B., see M. Loebl 273 (2003) 173–181
Rees, R., see G. Ge 279 (2004) 247–265
Remmel, J.B., see J. Haglund 274 (2004) 93–108
Ren, L.-Z., see J.-Y. Shao 279 (2004) 423–435
Rinaldi, G., see M. Conforti 277 (2004) 279–285
Rinaldi, S., see L. Ferrari 271 (2003) 29– 50
Rivera-Campo, E., see X. Li 271 (2003) 303–310
Robinson, R.W., see B.D. McKay 272 (2003) 107–118
Rocco, N.R. and J.S. Rocha, A note on finite semifields and certain p-groups of class 2 275 (2004) 355–362
Rocha, J.S., see N.R. Rocco 275 (2004) 355–362
Rodger, C.A., see C.D. Leach 279 (2004) 337–344
Rodger, C.A., see C.C. Lindner 272 (2003) 127–137
Rojas-Monroy, R., see H. Galeana-Sánchez 275 (2004) 129–136
Romov, B.A., Completeness theory for the product of finite partial algebras 274 (2004) 241–264
Rosa, A., see M. Meszka 274 (2004) 199–212
Rosa, A., see S. Küçükçifçi 278 (2004) 175–193
Rosendahl, P., On the identification problems in products of cycles 275 (2004) 277–288
Rosenhouse, J., see D. Lanphier 277 (2004) 101–113
Rozenberg, G., see A. Ehrenfeucht 278 (2004) 45– 60
Rusu, I., see J.L. Fouquet 276 (2004) 1– 2
Ryjáček, Z., see R. Čada 276 (2004) 65– 80

Saido, H., see W. Ogata 279 (2004) 383–405
Saito, A. and T. Yamashita, Cycles within specified distance from each vertex 278 (2004) 219–226
Šajna, M., see E. Dobson 278 (2004) 23– 44
Salazar, G., Infinite families of crossing-critical graphs with given average degree 271 (2003) 343–350
Salzman, J., see A. Wierman 275 (2004) 367–373
Šámal, R., Antisymmetric flows and strong oriented coloring of planar graphs 273 (2003) 203–209
Sárközy, A., see C. Mauduit 271 (2003) 195–207
Sarvate, D.G., see M. Greig 274 (2004) 77– 92
Schelp, R.H., see E. Győri 272 (2003) 187–196
Schröder, B.S.W., More examples on ordered set reconstruction 280 (2004) 149–163
Serra, O., see S.P. Mansilla 276 (2004) 273–285
Shallit, J., see T. Vasiga 277 (2004) 219–240
Shan, E. and L. Kang, A note on balance vertices in trees 280 (2004) 265–269
Shao, J.-Y. and L.-Z. Ren, Some properties of matrices with signed null spaces 279 (2004) 423–435
Shen, H., R. Su and D. Deng, Existence of incomplete resolvable minimum coverings of pairs by triples 279 (2004) 437–462
Shieh, Y.-P., see J. Hsiang 277 (2004) 87–100
Shin, Y., see J.H. Kwak 275 (2004) 177–193

Shokoufandeh, A. and Y. Zhao, On a tiling conjecture of Komlós for 3-chromatic graphs 277 (2004) 171–191
Slater, P.J., see K.M. Koh 272 (2003) 97–105
Slater, P.J., see W. Goddard 271 (2003) 61– 70
Soh, C.A., see F.M. Dong 275 (2004) 311–317
Sohn, M.Y., see L. Kang 277 (2004) 295–300
Spinrad, J., see Van Bang Le 280 (2004) 271–274
Spinrad, J.P., A note on computing graph closures 276 (2004) 327–329
Stankova, Z. and J. West, Explicit enumeration of 321, hexagon-avoiding permutations 280 (2004) 165–189
Steffen, E., Measurements of edge-uncolorability 280 (2004) 191–214
Stinson, D.R. and R. Wei, Generalized cover-free families 279 (2004) 463–477
Stinson, D.R., see W. Ogata 279 (2004) 383–405
Stojaković, M., Limit shape of optimal convex lattice polygons in the sense of different metrics 271 (2003) 235–249
Su, R., see H. Shen 279 (2004) 437–462
Sun, L., A result on Vizing's conjecture 275 (2004) 363–366
Suzuki, S. and T. Ibaraki, Average running time analysis of an algorithm to calculate the size of the union of Cartesian products 273 (2003) 211–220
Świtalski, Z., Half-integrality of vertices of the generalized transitive tournament polytope ($n = 6$) 271 (2003) 251–260
Székely, L.A., A successful concept for measuring non-planarity of graphs: the crossing number 276 (2004) 331–352
Szigeti, Z., On a min–max theorem on bipartite graphs 276 (2004) 353–361

Takabatake, T., see S. Fujishige 280 (2004) 13– 27
Tang, Y., see H. Cao 279 (2004) 121–133
Tang, Y., see K.-T. Fang 274 (2004) 25– 40
Tayfeh-Rezaie, B., see H. Kharaghani 279 (2004) 317–324
Telle, J.A., see S.M. Hedetniemi 278 (2004) 81–108
Thomassé, S., see A. Boussaïri 277 (2004) 29– 43
Tian, F., see Y. Chen 271 (2003) 1– 12
Todinca, I., see V. Bouchitté 273 (2003) 85–102
Travers, B.J., see N.J. Finizio 279 (2004) 215–223

Vakula, I., see V. Kabanov 276 (2004) 269–272
Van Bang Le and J. Spinrad, Consequences of an algorithm for bridged graphs 280 (2004) 271–274
Van Bussel, F., 0-Centred and 0-ubiquitously graceful trees 277 (2004) 193–218
van den Brink, R. and R.P. Gilles, Ranking by outdegree for directed graphs 271 (2003) 261–270
Van Maldeghem, H., see E. Govaert 271 (2003) 71–100
van Rees, G.H.J., see A.C.H. Ling 279 (2004) 355–368
Vanherpe, J.-M., Clique-width of partner-limited graphs 276 (2004) 363–374
Varela, M.T., see C. Delorme 277 (2004) 45– 56
Vasiga, T. and J. Shallit, On the iteration of certain quadratic maps over GF(p) 277 (2004) 219–240
Viglione, R., see F. Lazebnik 277 (2004) 309–319
Vitray, R.P., see R.C. Brigham 275 (2004) 299–309
Volkmann, L., see A. Hoffmann 278 (2004) 127–138
Volkmann, L., see M. Chellali 274 (2004) 1– 8
Von Korff, J., Classification of greedy subset-sum-distinct-sequences 271 (2003) 271–282
Vondrák, J., see M. Loebl 271 (2003) 179–193

Walikar, H.B., F. Buckley and M.K. Itagi, Radius-edge-invariant and diameter-edge-invariant graphs 272 (2003) 119–126
Wang, C., see A. Malnič 274 (2004) 187–198
Wang, C., see A. Malnič 280 (2004) 133–148

Wang, J. and Z. Zhang, On extensions of Calkin's binomial identities 274 (2004) 331–342
Wang, J., see G. Ge 272 (2003) 277–283
Warnaar, S.O., The generalized Borwein conjecture. II. Refined q-trinomial coefficients 272 (2003) 215–258
Weakley, W.D., Erratum to "Upper bounds for domination numbers of the queen's graph" [Discrete Mathematics 242 (2002) 229–243] 277 (2004) 321–321
Weaver, N., The Kadison–Singer problem in discrepancy theory 278 (2004) 227–239
Wei, B., see Y. Chen 271 (2003) 1– 12
Wei, R., see D.R. Stinson 279 (2004) 463–477
Wei, R., see F.E. Bennett 279 (2004) 1– 2
Wei, R., see G. Ge 272 (2003) 277–283
Wei, R., see G. Ge 279 (2004) 267–276
West, D.B., Research problems 272 (2003) 301–306
West, D.B., see M. Chen 275 (2004) 87– 96
West, D.B., see R. Ramamurthi 274 (2004) 233–240
West, D.B., see T. Jiang 274 (2004) 137–145
West, J., see Z. Stankova 280 (2004) 165–189
Wierman, A., J. Salzman, M. Jablonski and A.P. Godbole, An improved upper bound for the pebbling threshold of the n-path 275 (2004) 367–373
Wilson, S., A worthy family of semisymmetric graphs 271 (2003) 283–294
Wilson, S. and A. Breda d'Azevedo, Surfaces having no regular hypermaps 277 (2004) 241–274
Wojda, A.P., A condition for a graph to contain k-matching 276 (2004) 375–378
Wolsey, L., see M. Conforti 277 (2004) 279–285
Wood, D.R., Geometric thickness in a grid 273 (2003) 221–234
Woodall, D.R., Erratum to "A zero-free interval for chromatic polynomials" [Discrete Mathematics 101 (1992) 333–341] 275 (2004) 385–390
Wormald, N.C., Analysis of greedy algorithms on graphs with bounded degrees 273 (2003) 235–260
Woźniak, M., Packing of graphs and permutations—a survey 276 (2004) 379–391
Wu, D., see K. Chen 279 (2004) 153–161
Wu, J., see L. Miao 271 (2003) 321–325

Xiang, Q., see H.D.L. Hollmann 279 (2004) 277–286
Xie, D. and W. Yang, The total chromatic number of graphs of even order and high degree 271 (2003) 295–302
Xu, Y. and Y. Chang, On the spectrum of r-self-orthogonal Latin squares 279 (2004) 479–498

Yamashita, T., see A. Saito 278 (2004) 219–226
Yang, A., see Y. Lin 275 (2004) 339–346
Yang, W., see D. Xie 271 (2003) 295–302
Yao, H., see H. Zhang 276 (2004) 393–404
Yazinski, J., see K.G. Monks 275 (2004) 219–236
Yeh, H.-G. and X. Zhu, 4-Colorable 6-regular toroidal graphs 273 (2003) 261–274
Yin, J., see F.E. Bennett 279 (2004) 1– 2
Yin, J., see K.-T. Fang 274 (2004) 25– 40
Yin, J., see Y. Chang 279 (2004) 135–151
Yucas, J.L. and G.L. Mullen, Irreducible polynomials over GF(2) with prescribed coefficients 274 (2004) 265–279

Zhang, C.-Q., see R. Luo 275 (2004) 207–218
Zhang, F., see H. Zhang 276 (2004) 393–404
Zhang, F., see X. Guo 275 (2004) 151–164
Zhang, H., F. Zhang and H. Yao, Z-transformation graphs of perfect matchings of plane bipartite graphs 276 (2004) 393–404
Zhang, P., see G. Chartrand 272 (2003) 37– 46

Zhang, P., see G. Chartrand	272 (2003)	171–185
Zhang, X.-D., Bipartite graphs with small third Laplacian eigenvalue	278 (2004)	241–253
Zhang, Y., see Q. Kang	279 (2004)	287–315
Zhang, Z., see J. Wang	274 (2004)	331–342
Zhang, Z., see H. Feng	277 (2004)	287–294
Zhao, Y., see A. Shokoufandeh	277 (2004)	171–191
Zhu, X., see H.-G. Yeh	273 (2003)	261–274
Zinoviev, V., see T. Helleseth	274 (2004)	109–124
Zmazek, B., see B. Brešar	272 (2003)	263–268
Zou, H.W., The chromatic uniqueness of certain complete t-partite graphs	275 (2004)	375–383
Zuo, H., see Q. Kang	279 (2004)	287–315